Ahmann E. Developing cultural competence in health care settings. *Pediatric Nursing.* 2002;28:133-137.

Als H, Lawhon G, Duffy FH, McAnulty GB, Gibes-Grossman R, Blickman JG. Individualized developmental care for the very low birthweight preterm infant: medical and neurofunctional effects. *Journal of the American Medical Association.* 1994;272(11):853-858.

American Academy of Pediatrics, Committee on Fetus and Newborn. Hospital discharge of the high-risk neonate – proposed guidelines. *Pediatrics.* 1998;102(2):411-7.

Anderson GC, Chiu SH, Dombrowski MA, Swinth JY, Albert JM, Wada N. Mother-newborn contact in a randomized trial of kangaroo (skin-to-skin) care. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*. 2003;32(5):604-611.

Association of Women's Health, Obstetric and Neonatal Nurses. *Standards and Guidelines for Professional Nursing Practice in the Care of Women and Newborns (6th ed.)*. Washington, DC: AWHONN; 2003.

Brazy JE, Anderson BM, Becker PT, Becker M. How parents of premature infants gather information and obtain support. *Neonatal Network.* 2001;20(2):41-48.

Britain LA, Holmes GE, Hassanein RS. High-risk children referred to an early intervention developmental program. *Clinical Pediatrics.* 1995;34(12):635-641.

Browne J, Langlois A, Ross ES, Smith-Sharp S. Beginnings: an interim individualized family service plan for use in the intensive care nursery. *Infants and Young Children*. 2001;14(2):19-32.

Bruns DA, McCollum JA. Partnerships between mothers and professionals in the NICU: caregiving, information exchange, and relationships. *Neonatal Network.* 2002;21(7):15-23.

Bruns DA, Steeples T. Partners from the beginning: guidelines for encouraging partnerships between and NICU and EI professionals. *Infant-Toddler Intervention*. 2001;11(3-4):237-247.

Charchuk M, Simpson C. Loyalty and hope: keys to parenting in the NICU. *Neonatal Network*. 2003;22(4):39-45.

Coffman S, Ray MA. African American women describe support processes during high-risk pregnancy and postpartum. *Journal of Obstetric, Gynecologic, and Neonatal Nursing.* 2002;31(5):536-544.

Committee on Bioethics, American Academy of Pediatrics. Guidelines on foregoing life-sustaining treatment. *Pediatrics.* 1994;93(3):532-536.

Conde-Agudelo A, Diaz-Rossello JL, Belizan JM. Kangaroo mother care to reduce morbidity and mortality in low birthweight infants. *Cochrane Database Systematic Review*. 2003;(2):CD002771.

Curley MA, Meyer EC. Parental experience of highly technical therapy: survivors and nonsurvivors of extracorporeal membrane oxygenation support. *Pediatric Critical Care Medicine.* 2003;4(2):214-219.

Cuttini M, Regabliato M, Bortoli P, Hansen G, DeLeeuw R, Lenoir S, et al. Parental visiting, communication, and participation in ethical decisions: a comparison of neonatal unit policies in Europe. *Archives of Disease in Childhood: Neonatal Edition*. 1999;81:F84-F91.

Dokken DL, Sydnor-Greenberg N. Helping families mobilize their personal resources. *Pediatric Nursing.* 1998;24(1):66-69.

Forsythe P. New practices in the transitional care center improve outcomes for babies and their families. *Journal of Perinatology*. 1998;18(6pt2):s13-17.

Frischer L. The death of a baby in the infant special care unit. *Pediatric Clinics of North America.* 1998;24(3):691-699.

Furman L, Minich N, Hack M. Correlates of lactation in mothers of very low birth weight infants. *Pediatrics*. 2002;109(4):e57.

Gale G, Franck L. Toward a standard of care for parents of infants in the neonatal intensive care unit. *Critical Care Nurse*. 1998;18(5):62-74.

Galvin E, Boyers L, Schwartz PK, Jones MW, Mooney P, Warwick J, Davis J. Challenging the precepts of family-centered care: testing a philosophy. *Pediatric Nursing*. 2000;26(6):625-632.

Gannon BA. Caring one day at a time. *Neonatal Network.* 2000;19(5):25-32.

Gardner G, Barrett T, Coonan K, Cox H, Roberson B. Parent support programmes in neonatal intensive care: researching the issues. *Neonatal, Paediatric and Child Health Nursing*. 2002;5(1):20-25.

Gordin P, Johnson BH. Technology and family-centered perinatal care: conflict or synergy. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*. 1999;28(4):401-408.

Gray JE, Safran C, Davis RB, Pompilio-Weitzner G, Stewart JE, Zaccagnini L, Pursley D. Baby carelink: using the Internet and telemedicine to improve care for high-risk infants. *Pediatrics.* 2000;106(6):1318-1324.

Griffin T, Bradford LP, Engstrom JL. Mothers performing creamatocrit measures in the NICU: accuracy, reactions, and cost. *Journal of Obstetric, Gynecologic, and Neonatal Nursing.* 2000;29(3):249-257.

Griffin T, Kavanaugh K, Soto CF, White M. Parental evaluation of a tour of the neonatal intensive care unit during a high-risk pregnancy. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*. 1997;26(1):59-65.

Griffin T, Wishba C, Kavanaugh K. Nursing interventions to reduce stress in parents of hospitalized preterm infants. *Journal of Pediatric Nursing.* 1998;13(5):290-295.

Hadden DS. The long anticipated day: strategies for success when a premature infant comes home from the neonatal intensive care unit. *Young Exceptional Children*. 2000;3(2):21-26.

Halamek LP. The advantages of a prenatal consultation by a neonatologist. *Journal of Perinatology.* 2001;20(6):116-120.

Health Canada. *Family-Centered Maternity Care and Newborn Intensive Care: National Guidelines.* Ottawa, Ontario: Health Canada; 2000.

Hickson GB, Clayton EW, Miler CS, Pichert JW, Entman SS. Satisfaction with obstetric care: relation to neonatal intensive care. *Obstetrics & Gynecology.* 1998;91(2):288-291.

Holditch-Davis D, Miles MS. Mothers' stories about their experiences in the neonatal intensive care unit. *Neonatal Network.* 2000;19(3):13-21.

Hurst I. Imposed burdens: a Mexican American mother's experience of family resources in a newborn intensive-care unit. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*. 2004;33(2);156-163.

Hurst I. Vigilant watching over: mothers' actions to safeguard their premature babies in the newborn intensive care nursery. *Journal of Perinatal and Neonatal Nursing.* 2001;15(3):39-57.

Hurst NM, Valentine CJ, Renfro L, Burns P, Ferlic L. Skin-to-skin holding in the neonatal intensive care unit influences maternal milk volume. *Journal of Perinatology*. 1997;17(3):213-217.

Institute of Medicine. *Crossing the Quality Chasm: A New Health System for the 21st Century*. Washington, DC: Institute of Medicine; 2001.

Jansen JL. A bereavement model for the intensive care nursery. *Neonatal Network.* 2003;22(3):17-23.

Jarrett MH. Parent partners: a parent-to-parent support program in the NICU: part I: program development. *Pediatric Nursing*.1996;22(1):60-63.

Jarrett MH. Parent partners: a parent-to-parent support program in the NICU: part II: program implementation. *Pediatric Nursing.*1996;22(2):142-145,149.

Johnson BH, Abraham MR, Parrish RN. Designing the neonatal intensive care unit for optimal family involvement. *Clinics in Perinatology*. 2004;31(2):353-382.

Johnston CC, Stevens B, Pinelli J, Gibbins S, Filion F, Jack A, et al. Kangaroo care is effective in diminishing pain response in preterm neonates. *Archives of Pediatric and Adolescent Medicine*. 2003;157:1084-1088.

Journal of Perinatal and Neonatal Nursing. Theme issue devoted to ethical issues in perinatal and neonatal care. 14(2): 2000.

Kassity N, Lockridge T. Should parents participate in patient rounds in the NICU? *Maternal and Child Nursing*. 1999;24(2):64-65.

Kenner C, Lott JW. Parent transition after discharge from the NICU. *Neonatal Network.* 1990;9(2):31-37.

Kerr SM, McIntosh JB. Disclosure if disability: exploring the perspective of parents. *Midwifery.* 1998;14(4):225-232.

King NMP. Transparency in neonatal intensive care. *Hastings Center Report.* 1992;*22*:18-25.

Kirsten GF, Bergman NJ, Hann FM. Kangaroo mother care in the nursery. *Pediatric Clinics of North America*. 2001;48(2):443-452.

Koh T, Jarvis C. Promoting effective communication in neonatal intensive care units by audiotaping doctor-patient conversations. *International Journal of Clinical Practice*. 1998;52(1):27-29.

Lawhon G. Facilitation of parenting the premature infant within the newborn intensive care unit. *Journal of Perinatal and Neonatal Nursing*. 2002;16(1):71-82.

Little GA. Parents on rounds: the debate. *Advances in Family-Centered Care*. 2001;7(1):21-24. Available through the Institute for Family-Centered Care, Bethesda, MD.

Loo KK, Espinosa M, Tyler R, Howard J. Using knowledge to cope with stress in the NICU: how parents integrate learning to read the physiologic and behavioral cues of the infant. *Neonatal Network.* 2003;22(1):31-37.

Luckner KR, Weinfeld IJ. Informed consent as a parent involvement model in the NICU. *Bioethics Forum.* 1995;11(1):35-41.

Lundqvist A, Nilstun T, Dykes AK. Both empowered and powerless: mothers' experiences of professional care when their newborn dies. *Birth*. 2002;29(3):192-199.

MacDonald H, Committee on Fetus and Newborn, American Academy of Pediatrics. Perinatal care at the threshold of viability. *Pediatrics.* 2002;110(5):1024-1027.

Mancini A, While A. Discharge planning from a neonatal unit: an exploratory study of parents' views. *Journal of Neonatal Nursing*. 2001;7(2):59-62.

McGrath JM. Building relationships with families in the NICU: exploring the guarded alliance. *Journal of Perinatal and Neonatal Nursing.* 2001;15(3):74-83.

McHaffie HE, Laing IA, Lloyd DJ. Follow-up care of bereaved parents after treatment withdrawal from newborns. *Archives of Disease in Childhood*. 2001;84:F125-F128.

Meier PP. Supporting lactation in mothers with very low birthweight infants. *Pediatric Annals*. 2003;32:317-325.

Meier PP. Breastfeeding in the special care nursery. *Pediatric Clinics of North America.* 2001;109(4):e57.

Meier PP, Engstrom JL, Mingolelli SS, Miracle DJ, Kiesling S. The Rush mothers' milk club: breastfeeding interventions for mothers with very-low-birth-weight infants. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*. 2004;33(2):164-173.

Montgomery LA, Kleiber C, Nicholson A, Craft-Rosenberg M. A research-based sibling visitation program for the neonatal ICU. *Critical Care Nurse*. 1997;17(2):29-40.

Moore KAC, Coker K, DuBuisson AB, Swett B, Edwards WH. Implementing potentially better practices for improving family-centered care in neonatal intensive care units: successes and challenges. *Pediatrics.* 2003;111(4pt2)e450-460.

Morton JA. Strategies to support extended breastfeeding of the premature infant. *Advances in Neonatal Care*. 2000;2(5):267-284.

Newman CB, McSweeney M. A descriptive study of sibling visitation in the NICU. *Neonatal Network.* 1990;9(4):27-31.

Nystrom K, Axelsson K. Mothers' experience of being separated from their newborns. *Journal of Obstetric, Gynecologic, and Neonatal Nursing.* 2002;31(3):275-282.

Ohgi S, Fukuda M, Moriuchi H, Kusumoto T, Akiyama T, Nugent JK, et al. Comparison of kangaroo care and standard care: behavioral organization, development, and temperament in healthy, low-birth-weight infants through 1 year. *Journal of Perinatology*. 2002;22(5):374-379.

Partridge JC, Freeman H, Weiss E, Martinez AM. Delivery room resuscitation decisions for extremely low birthweight infants in California. *Journal of Perinatology.* 2001;21(1):27-33.

Paul DA, Epps S, Leef KH, Stefano JL. Prenatal consultation with a neonatologist prior to preterm delivery. *Journal of Perinatology.* 2001;21(7):431-437.

Pearson L. Family-centered care and the anticipated death of a newborn. *Pediatric Nursing.* 1997;23(2):178-182.

Pinch WJ. *When the Bough Breaks: Parental Perception of Ethical Decision-Making in the NICU*. Lanham, MD: University Press of America, Inc.; 2002.

Preyde M, Ardal F. Effectiveness of a parent "buddy" program for mothers of very preterm infants in a neonatal intensive care unit. *Canadian Medical Association Journal*. 2003;168(8):969-973.

Preyde M, Ardal F, Bracht M. Mothers' perceptions of the parent buddy program: a program for parents of very pre-term hospitalized infants. *Canadian Social Work*. 2001;3(2):43-56.

Raines DA. Suspended mothering: women's experiences mothering an infant with a genetic anomaly identified at birth. *Neonatal Network.* 1999;18(5):35-39.

Raines DA. Values of mothers of low birth weight infants in the NICU. *Neonatal Network*. 1998;17(4):41-46.

Raines DA. Parents' values: a missing link in the neonatal intensive care equation. *Neonatal Network.*1996;15(3):7-12.

Redshaw ME, Harris A. Maternal perceptions of neonatal care. *Acta Paediatrica.* 1995;84(6):593-598.

Roman LA, Lindsay JK, Boger RP, DeWys M, Beaumont EJ, Jones AS, Haas B. Parent-to-parent support initiated in the neonatal intensive care unit. *Research in Nursing & Health.* 1995;18(5):385-394.

Saigal S, Stoskopf BL, Feeny D, Furlong W, Burrows E, Rosenbaum PL, Hoult L. Differences in preferences for neonatal outcomes among health care professionals, parents, and adolescents. *Journal of the American Medical Association.* 1999;281(21):1991-1997.

Saunders RP, Abraham MR, Crosby MJ, Thomas K, Edwards NH. Evaluation and implementation of potentially better practices for improving family-centered care in neonatal intensive care units. *Pediatrics.* 2003;111(4pt2):e437-449.

Society of Pediatric Nurses. *Family-Centered Care: Putting It into Action. SPN/ANA Guide to Family-Centered Care*. Washington DC: Society of Pediatric Nurses/American Nurses Association; 2003.

Spear ML, Leef K, Epps S, Locke R. Family reactions during infants' hospitalization in the neonatal intensive care unit. *American Journal of Perinatology.* 2002;19(4):205-213.

Spicer K. What every nurse needs to know about breast pumping: instructing and supporting mothers of premature infants in the NICU. *Neonatal Network.* 2001;20(4):35-39.

Stainton MC, Harvey S, McNeil D. *Understanding Uncertain Motherhood: A Phenomenological Study of Women in High-Risk Perinatal Situations*. Calgary: University of Calgary; 1995.

Stark J, Thape J. Decision making in neonatal intensive care: a collaboration of parents, physicians, and nurses. *Clinical Issues in Perinatology and Women's Health Nursing*. 1993;4(4):589-595.

Sudia-Robinson TM, Freeman SB. Communication patterns and decision-making among parents and health care providers in the neonatal intensive care unit: a case study. *Heart & Lung*, 2000;29(2):143-148.

Sullivan JR. Development of father-infant attachment in fathers of preterm infants. *Neonatal Network*. 1999;18(7):33-39.

Sydnor-Greenberg N, Dokken D. Coping and caring in different ways: understanding and meaningful involvement. *Pediatric Nursing.* 2000;26:185-90.

Thoyre SM. Mothers' ideas about their role in feeding their high-risk infants. *Journal of Perinatal, Obstetric and Neonatal Nursing.* 2000;29(6):613-624.

Van Riper M. Family-provider relationships and well-being in families with preterm infants in the NICU. *Heart & Lung*. 2001;30:74-84.

Vandenberg K. Supporting parents in the NICU: guidelines for promoting parent confidence and competence. *Neonatal Network.* 2000;19(6):63-64.

Wallersted SR, Higgins P. Facilitating perinatal grieving between the mother and father. *Journal of Perinatal, Obstetric and Neonatal Nursing.*1996;25:389-394.

Westrup B, Agneta K, von Eichwald K. Stjernqvist K, Lagercrantz H. A randomized, controlled trial to evaluate the effects of the newborn individualized developmental care and assessment program in a Swedish setting. *Pediatrics.* 2000;105(1):66-72.

Wocial LD. Life support decisions involving imperiled infants. *Journal of Perinatal and Neonatal Nursing*. 2000;14(2):73-86.

Workman E. Guiding parents through the death of their infant. *Journal of Perinatal, Obstetric and Neonatal Nursing.* 2001;30(6):569-573.