# **Family Conversation Scenario Design Tool for Simulations**

**Instructions:** This tool can help script disclosure conversations or change-of-shift reports by generating role play scenarios for simulation training. The goal is to ensure that conversations with families occur consistently.

Before the role play, the facilitator should choose **one to several** complementary variables in each category and reveal the following information to each participant:

- Medical staff: situation, location, group participants, and patient demographic
- Family: Patient demographic, parent personality, and parent response

The facilitator may use the tool on page 2 to evaluate participants. Medical staff should fill out page 3 before a role play about a disclosure conversation. Medical staff should review the outline on pages 4-5 before a role play about a change-of-shift bedside report. Participants should consider the content of the conversation: what should be said and what should NOT be said.

should NOT be said.					
Simulation Variables					
Situation					
<ul> <li>Near miss</li> <li>Adverse event due to system issue</li> <li>Patient identification mix-up</li> </ul>	<ul><li>Difficult Diagnosis</li><li>Adverse event due to error</li><li>Breach of confidentiality</li></ul>	<ul> <li>Problem undetected prenatally</li> <li>Adverse event due to hazard of high-risk therapy</li> <li>Staff change-of-shift handoff</li> </ul>			
Stage of Disclosure					
<ul><li>Preliminary Disclosure</li></ul>	<ul><li>Ongoing disclosure</li></ul>	■ Final Meeting			
Location					
<ul><li>Bedside in open pod with others</li></ul>	■ Bedside in <b>a</b> private room	■ Conference room			
Participating Family Members					
■ Parent(s)	Parent(s) plus grandparents	<ul><li>Foster parent(s)</li></ul>			
Participating Hospital Staff (Identify person who will lead the conversation)					
<ul><li>Nurse</li><li>Social worker</li></ul>	<ul><li>Physician/NNP</li><li>Interpreter</li></ul>	<ul><li>Specialist/Pharmacist</li><li>Hospital Administrator</li></ul>			
Parent Demographic					
<ul><li>Age: In his/her teens</li><li>Has no higher education</li></ul>	<ul><li>Age: In his/her twenties</li><li>Well-educated/researched</li></ul>	<ul><li>Age: In his/her thirties or older</li><li>Medically trained</li></ul>			

#### Parent Demeanor

Non-English speaker

• First couple of days in the NICU

Complications during home birth

DHS is involved

<ul> <li>Not very engaged</li> </ul>	Very engaged	Experiencing post-partum depression
<ul><li>Very passive, agreeable, and calm</li></ul>	<ul><li>Strong patient advocate</li></ul>	Needs lots of info, and has many questions
<ul><li>Desires only minimal information</li></ul>	<ul><li>Aggressively negative</li></ul>	<ul><li>Has been educated multiple times but still</li></ul>
<ul><li>Overly positive</li></ul>	Short-tempered	doesn't understand

Domestic abuse is suspected

Almost ready for NICU discharge

Prefers alternatives to medical intervention

Previous NICU experience

NAS (illicit vs. pain)

Developmentally challenged

■ In the middle of a NICU stay

Unexpected admission

## **Parent Response**

<ul><li>Speechless</li></ul>	<ul><li>Scared</li></ul>	<ul><li>In denial</li></ul>
■ Angry	<ul><li>Tearful</li></ul>	<ul><li>Overwhelmed</li></ul>
<ul><li>Shows signs of guilt</li></ul>	<ul><li>Confused</li></ul>	<ul><li>Blaming</li></ul>
<ul><li>Agreeable</li></ul>	<ul><li>Nervous</li></ul>	<ul><li>Friendly</li></ul>

# **Simulation Measurement**

This rubric was inspired by and uses portions from Dr. JoDee M. Anderson's Behavioral Assessment Tool (BAT). There are five categories of skill level, 0-4 (poor to excellent, or novice to expert). As you watch the simulation, make tick marks under the number which best describes the behavior observed. At the conclusion, summarize your assessment by circling the number that best describes the participant's performance in relation to the characteristics listed (the number with the greatest tick marks). This is a behaviorally anchored rating system (BARS). Remain specific to the behavior observed.

### 1. Verbal Communication

Approach to family is demeaning, or abrubt; does not appear prepared for the conversation; does not ask any questions; fails to react to evolving conversation; does not offer an apology, even if appropriate; uses words unfamiliar to listener; creates confusion with a disorganized or contradictory explanation; voice is either too soft or too loud; "talks down" to the family.

Language and approach are professional most of the time; may ask 2 to 3 important questions during the conversation; may not recognize preditable situations but adapts to evolving conversation; if appropriate, offers an apology; explains important information but does not consider family's ability to understand; tone of voice varies from soft to loud but audible by others in conversation; keeps unnecessary conversation to a minimum.

Language and approach are professional at all times; asks pertinent questions; is not surprised by predictable situations or evolving conversation; if appropriate, offers a sincere apology; presents important information succinctly and builds on what the family understands; speaks clearly and can easily be heard by others; clarifies vague communication; accurately restates family's message; promises to follow up.

Above Excellent

Poor	Partially	Acceptable	
(0 points)	Acceptable	(2 points)	
Novice	(1 point)	Competent	

# Average (4 points) (3 points) Expert

# 2 Empathetic Listening

Interrupts or cuts family off.
Makes no effort to understand
family's communication; hurried;
does not pay attention to family's
emotions or primary concerns;
becomes defensive, disagreeable,
or detached.

Listens without interrupting but appears to be focusing thoughts elsewhere; regards family with a caring attitude; displays some understanding of family's perspective, needs, or emotions; does not recognize family's intentions behind questions or words.

Listens without interrupting and concentrates on family's words and intentions; demonstrates a caring attitude and an awareness of family's primary concerns, needs, and emotions; responds with empathy; non-judgmental; non-defensive.

or actaonical	940	3010113 01 1101 431	11011 j	additionital) from deteriores
Poor	Partially	Acceptable	Above	Excellent
(0 points)	Acceptable	(2 points)	Average	(4 points)
Novice	(1 point)	Competent	(3 points)	Expert

### 3. Nonverbal Communication

Openly distressed; does not recognize or respond to family's nonverbal cues (word choices, tone, body language); turns body away from family; stands during the conversation, or if sitting, leans away from speaker and keeps arms and legs folded; Looks away or down often; uses inappropriate facial expressions.

May appear flustered at times but maintains self-control; recognizes or responds to some nonverbal cues. May turn body toward the family or lean in somewhat but keeps arms folded. Appears distracted or disinterested. Makes minimal eye contact; nods in agreement sometimes; uses appropriate facial expressions.

Maintains composure; correctly interprets nonverbal cues and responds in a way that increases communication; asks additional questions if a cue is unclear; faces body toward speaker, leans in, sits forward on chair, and keeps arms unfolded; makes good eye contact; nods in agreement; uses mirroring facial expressions.

Poor	Partially Acceptable	Acceptable	Above	Excellent
(0 points)	(1 point)	(2 points)	Average	(4 points)
Novice		Competent	(3 points)	Expert

# **Disclosure Conversation Planning Worksheet**

**Instructions:** Prompt, compassionate, and honest communication with the patient and family following an incident is essential. Every unit should develop a unit-specific guideline about which types of incidents merit disclosure. To ensure that proper disclosure of patient safety events occurs consistently, use this worksheet to script the conversation just before meeting with the family.

## Here are some questions to consider:

- How can you personalize the conversation to this particular family?
- What behaviors, words, or actions are you planning?
- How can you bridge the gap between what the family hears (or is able to process) and what you believe you are communicating?
- What will you do to follow-up or check in with the family in the coming hours or days?
- 1. What stage of disclosure is this? (preliminary disclosure, ongoing disclosure, final meeting)
- 2. Where will this conversation take place?
- 3. Which family members will be present?
- 4. Which medical staff should be present? (physician / NNP / RN / specialist / pharmacist / social worker / interpreter / administrator / other)
- 5. Who is the best person to lead this conversation?
- 6. What needs to be disclosed? What behaviors, words, or actions are you planning for the communication?
- 7. What do you know about the family?
- 8. How do you expect the family to respond?
- 9. What questions do you expect to be asked? Who will you bring into the conversation if you are not able to answer them?
- 10. How do you plan to follow up with the family? What will happen and who will do it?